UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/581,953	06/07/2006	Eiichiro Yokochi	CU-4850 BWH	7389
26530 LADAS & PAF	7590 09/17/200 RRY LLP	EXAMINER		
224 SOUTH M	ICHIGAN AVENUE	DICUS, TAMRA		
	SUITE 1600 CHICAGO, IL 60604		ART UNIT	PAPER NUMBER
			1794	
			MAIL DATE	DELIVERY MODE
			09/17/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/581,953	YOKOCHI ET AL.			
Office Action Summary	Examiner	Art Unit			
	TAMRA L. DICUS	1794			
The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address			
Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>08/1</u>	8/09				
	s action is non-final.				
3) Since this application is in condition for allowa		esecution as to the merits is			
closed in accordance with the practice under <i>B</i>	•				
Disposition of Claims	, ,				
4)⊠ Claim(s) <u>1-12</u> is/are pending in the application					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-12</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/c	or election requirement.				
Application Papers	·				
··· <u> </u>					
9) The specification is objected to by the Examine		=vominor			
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	- · · /	, ,			
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex		,			
	kanimer. Note the attached Office	Action of form PTO-132.			
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the prior	•	ed in this National Stage			
application from the International Burea					
* See the attached detailed Office action for a list	of the certified copies not receive	ed.			
Attachment(s)	_				
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)				
3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal F				
Paper No(s)/Mail Date	6)				

DETAILED ACTION

The RCE is acknowledged.

The Double Patenting rejection is withdrawn as the Terminal Disclaimer has been submitted.

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 1-12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 3. Careful revision is necessary to put the claims in proper form to convey the scope of the invention as Applicant intends. Instant claim 1 is not clear: where is the first impregnated paper layer formed by surface-layer paper impregnation? The hyphenated terms are not clear as to what the layer is or what it comprises. Normally "surface" lies within the outermost plane, however, as it is claimed e.g. "surface layer-paper" and "surface resin layer", it is not particularly clear. Further to the "formed by" terms, it is not clear because it appears it is formed by a layer or side, either of which is not clear. Further "the base material layer-paper side" lacks antecedent basis. The order is simply not clear. Further, it is not clear what is the material referenced by "the thermosetting resin used for the first impregnated paper layer is the thermosetting resin permeated from the second impregnated paper layer". Normal language should be used like "comprises" and not refer to past tense or transitional process type phrases. A product claim should state what is not what was or where a material was.

Art Unit: 1794

4. Instant Claims 2, 5, and 10 are not clear because the structure is not clear. Particularly, it is not clear if "the surface-layer paper "referenced in claim 2 and the "impregnated blocking layer formed by the surface layer-paper" in claim 5 it is not clear if the surface layer-paper is the impregnated blocking layer or the first impregnated paper layer (e.g. formed by impregnating/impregnated "the surface layer-paper", is confusing because the first impregnated layer and the blocking layer comprise the same or maybe different surface layer-paper). Thus, it's not clear how many layers are present and where. It appears the phrases lack antecedent basis while attempting to create a new layer or ingredient, but relying on one paper in one layer which is confusing (because the blocking layer and first impregnated paper layers are different). It is not clear if there is an additional second paper layer within the blocking layer.

5. Further to Claims 4-6, this amendment is confusing as it is not clear how — "a layer separately formed" further limits the blocking layer. The blocking layer is a layer so it is already separate. Further the blocking layer is formed to cover an entire surface of the surface layer-paper so in claim 4, it is confusing as to what it is further limiting. It is not clear where the blocking layer is because in claim 1 it's on the entire surface of the surface resin layer, but in claim 6 it's on the surface layer-paper, which appears actually the first impregnated paper layer. It is not clear then if the surface layer-paper is a material or a separate layer from all other layers and where it is. Further in claim 6, it is not clear where the surface resin layer side is. The language is ambiguous. Similar issues exist with Claims 4-7.

Art Unit: 1794

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 1-8, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takemoto in view of Malina et al.

Takemoto teaches per instant claim 1 (currently amended), a decorative material comprising a surface layer (3, 2b, 2a, FIGs. 2-3 and associated text/ patented claim 1) and a base material layer (1, FIGs. 2-3 and associated text/ patented claim 1, first impregnated paper) laminated and integrated on a rear surface thereof, wherein the surface layer comprises at least a surface resin layer (3, FIGs. 2-3 and associated text/ patented claim 1) comprised of a ionizing radiation curable resin, an impregnating blocking layer (sealer 4, patented claim 1, 6:49-68 - impregnating two part urethane resin (first and second resin) into substrate 1, thus functioning as impregnated blocking layer) for inherently blocking an ooze out of an uncured material (uncured from the upper layer) of a thermosetting resin, and an impregnated paper layer formed by a paper impregnated with the thermosetting resin and cured (1, FIGs. 2-3 and associated text, impregnated with same resin-thus first and second resins), laminated from a surface side; at least an uppermost surface of the base material layer comprises the impregnated paper layer (1, FIGs. 2-3 and associated text); and a pattern ink layer (2, FIGs. 2-3 and associated text). Primer layer 5 functions as an independent blocking layer that is not impregnated as it's of a coat of acrylic

and urethane resins (7:40-63). Takemoto employs a two-component urethane resin as the ionizing impregnating resin (6:55-60). Claims 1-8 are addressed. To instant claim 10, see 7:63-8:20, further that it is to be adhered is intended use.

Takemoto doesn't teach a second impregnated paper or impregnated in an inside surface resin layer side as claimed (claim 1-6).

Malina teaches a similar decorative material wherein any number of impregnated papers

including and showing at least two below the substrate in FIG. 1 for balancing and depending upon the application the number of sheets are varied. See Abstract, 13:1-60. It would have been obvious to one having ordinary skill in the art to have modified the bottom impregnated paper by supplying an additional second impregnated paper for balancing and variation dependent upon the end application as taught by Malina cited above. Note also: Though we are fully cognizant of the hindsight bias that often plagues determinations of obviousness, Graham v. John Deere Co., 383 U.S. 1, 36 (1966), we are also mindful that "the combination of familiar elements according to known methods is likely to be obvious when it does no more than yield predictable results," KSR Int'l Co. v. Teleflex Inc., 127 S. Ct. 1727, 1739 (2007). Thus, impregnation aids in making the layer that contains the resin (including all its sides) more sticky for adhesive bonding.

14. Claims 8-9 and 11-12 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Takemoto in view of Malina et al. and further in view of Rosenkranz et al.

The combination is applied above teaching the claimed invention.

Takemoto explicitly teach a two component urethane resin as per Claims 8-9 and 11-12.

Art Unit: 1794

Rosenkranz teaches a two component urethane acrylate impregnating resin (2: 31-42) comprised of alkylene oxides, such as ethylene oxide (3:1-33) in the B component for impregnating to strengthen textile webs and coloring purposes.

It would have been obvious to one having ordinary skill in the art to have modified the decorative material of the combination to include a urethane acrylate resin comprising ethylene oxide as claimed because Rosenkranz teaches a two component urethane resin assists as an impregnate used in webs for strengthening and coloring purposes (Abstract, 2: 31-42, 3:1-33).

Reference of Interest

US 6,162,264 to Miyazaki et al. teaches at col. 32, lines 55-68 impregnating inside surfaces of sheets to migrate into other porous sheets (like claim 6).

Response to Arguments

Applicant's arguments have been fully considered but they are not persuasive. Applicant argues the 112 rejection, however, the claims still are not clear. Applicant points to the specification, however, limitations from the specification (e.g. Figures, page 12, page 18, precured state, pre-adhesion state) are not read into the claims. Applicant is invited to amend the claims to make clear limitations to understand perfectly what Applicant's invention is. As set forth prior, the claimed invention contains ambiguous language. Arguments to the Double Patenting (DP) rejection are noted but the same answer above is applicable to the DP rejection. It is still obvious to impregnate resins in any layer for helping to stick and secure layers as provided by the prior art above.

Art Unit: 1794

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to TAMRA L. DICUS whose telephone number is (571)272-1519.

The examiner can normally be reached on Monday-Friday, 7:00-4:30 p.m., alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mark Ruthkosky can be reached on 571-272-1291. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tamra L. Dicus /TLD/

Examiner

Art Unit 1794

September 14, 2009

/Bruce H Hess/

Primary Examiner, Art Unit 1794